

## Product Specification

|                          |  |
|--------------------------|--|
| Catalog No:              | 32H-G4b  |
| Hot Species:             | Goat   |
| Size and Physical State: | 1 ml in Freeze-dried powder.   |
| Antibody Concentration:  | 1.0 mg/ml  |
| Source:                  | Polyclonal antibody purified by human apolipoprotein CII-Sepharose™ affinity column, and conjugated with HRP.                |
| Preservation:            | 50 mM PBS, 0.1M NaCl, pH 7.4 and 0.01% Thimersol.  |
| Stabilizer:              | 10 mg/ml Bovine Serum Albumin.   |
| Specificity:             | Specifically binds to human apo CII. Dilution for immunoblot and ELISA range: 200 to 4,000.                                  |
| Use:                     | The antibody can be used for detection of the existence of apo CII in plasma and Lipoproteins, immunoassays and immunoblots. |

*Reconstitution and Storage: Freeze-dried product should be stored refrigerated until opened. After opening, restore to 1 ml with distilled water. If it is not completely clear after standing for 1-2 Hours at room temperature, centrifuge the product. It is stable for several weeks at 4° C as an undiluted liquid. Do not use for more than one day after dilution. For extended storage after reconstitution, we suggest aliquot to avoid repeated freezing and thawing; or the addition of an equal volume of glycerol to make a final glycerol concentration of 50%, followed by storage at -20° C. The concentration of protein and buffer salts will decrease to one-half of the original after the addition of glycerol*

*™Sepharose is a trademark of Amersham Biosciences Limited*

*\*The products are for research or manufacturing use only, not for use in human therapeutic or diagnostic applications.*




## Product Specification

|                          |   |
|--------------------------|---|
| Catalog No:              | 32H-G4b   |
| Hot Species:             | Goat  |
| Size and Physical State: | 1 ml in Freeze-dried powder.  |
| Antibody Concentration:  | 3.8 mg / ml   |
| Source:                  | Polyclonal antibody purified by human apolipoprotein CII-Sepharose™ affinity column, and conjugated with HRP.           |
| Preservation:            | In 50 mM PBS, 0.1M NaCl, pH 7.4 and 0.01% Thimersol.  |
| Stabilizer:              | 10 mg/ml Bovine Serum Albumin.  |
| Specificity:             | Specifically binds to human apo CII. Dilution for immunoblot and ELISA range: 200 to 2,000.                             |
| Use:                     | The antibody can be used to detect the existence of apo CII in plasma and Lipoproteins; for immunoassay and immunoblot. |

*Reconstitution and Storage: Freeze-dried product should be stored refrigerated until opened. After opening, restore to 1.0 ml with distilled water. If it is not completely clear after standing for 1-2 Hours at room temperature, centrifuge the product. It is stable for several weeks at 4° C as an undiluted liquid. Do not use for more than one day after dilution. For extended storage after reconstitution, we suggest aliquot to avoid repeated freezing and thawing; or the addition of an equal volume of glycerol to make a final glycerol concentration of 50%, followed by storage at -20° C. The concentration of protein and buffer salts will decrease to one-half of the original after the addition of glycerol*

*™Sepharose is a trademark of Amersham Biosciences Limited*

*\*The products are for research or manufacturing use only, not for use in human therapeutic or diagnostic applications.*



## Product Specification

|                          |   |
|--------------------------|---|
| Catalog No:              | 32H-G4b   |
| Hot Species:             | Goat  |
| Size and Physical State: | 1 ml in Freeze-dried powder.  |
| Antibody Concentration:  | 2.6 mg / ml   |
| Source:                  | Polyclonal antibody purified by human apolipoprotein CII-Sepharose™ affinity column, and conjugated with HRP. |
| Preservation:            | In 50 mM PBS, 0.1M NaCl, pH 7.4 and 0.01% Thimersol.  |
| Stabilizer:              | 10 mg/ml Bovine Serum Albumin.  |
| Specificity:             | Specifically binds to human apo CII. Dilution for immunoblot and ELISA range: 200 to 2,000.                   |
| Use:                     | The antibody can be used for detection of apo CII in plasma and lipoproteins, immunoassays and immunoblots.   |

*Reconstitution and Storage: Freeze-dried product should be stored refrigerated until opened. After opening, restore to 1.0 ml with distilled water. If it is not completely clear after standing for 1-2 Hours at room temperature, centrifuge the product. It is stable for several weeks at 4° C as an undiluted liquid. Do not use for more than one day after dilution. For extended storage after reconstitution, we suggest aliquot to avoid repeated freezing and thawing; or the addition of an equal volume of glycerol to make a final glycerol concentration of 50%, followed by storage at -20° C. The concentration of protein and buffer salts will decrease to one-half of the original after the addition of glycerol*

*™Sepharose is a trademark of Amersham Biosciences Limited*

*\*The products are for research or manufacturing use only, not for use in human therapeutic or diagnostic applications.*

